

DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		NN NN NN NN NN NN NN NN NNNN NN NNNN NN NN NN NN NN NN NN NN	
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		

Version: 'V04-000' V03-030 HWS0068 Harold Schultz 24-May-1984 Change WRITE/SYMBOL second parameter type to SQUOTED\_STRING. V03-029 HWS0040 Harold Schultz 26-Mar-1984 Change ALLOCATE syntax to ALLOCATE /GENERIC DEV Add READ/TIME\_OUT=n. Add CLOSE/LOG. V03-028 PCG0016 Peter George 23-Mar-1984 Add /JOB qualifier to logical name commands. V03-027 HWS0025 Harold Schultz 09-Mar-1984 Add /SYMBOL to WRITE command V03-026 PCG0015 Peter George 01-Dec-1983 Add DEFINE/KEY/ERASE. V03-025 MLJ0025 Martin L. Jack 23-Aug-1983 Add DEFINE/FORM/PAGE\_SETUP. V03-024 MLJ0024 Martin L. Jack 29-Jul-1983 Enhance DEFINE/FORM. V03-023 PCG0014 27-Jul-1983 Peter George Remove privilege list. Remove X-form of logical name commands. V03-022 PCG0013 Peter George 21-Jun-1983 Make second WRITE parameter SEXPRESSION. PCG0012 Peter George Add /CONTINUE to CONNECT and DISCONNECT. 21-Jun-1983 V03-021 PCG0012 V03-020 PCG0011 Peter George 21-Jun-1983 Add CONNECT and DISCONNECT. PCG0010 Peter George Add PREFIX to XDEFINE and XALLOCATE. V03-019 PCG0010 31-May-1983 MLJ0018 Martin L. Jack 27 Add DEFINE/FORM and DEFINE/CHARACTERISTIC. 27-May-1983 V03-018 MLJ0018 V03-017 PCG0008 Peter George 27-May-1983 Add SECURITY priv. Add XDEFINE, XASSIGN, XALLOCATE, XDALLOCATE, XDEASSIGN. PCG0007 Peter George Add /LOG to ALLOCATE, ASSIGN, DEFINE. V03-016 PCG0007 30-Apr-1983 V03-015 MLJ0015 27-Apr-1983 Martin L. Jack

Changes to STOP/QUEUE for new QUEMAN image.

```
V03-014 PRB0175
                                                        27-APR-1983 15:50:39
                           Paul Beck
         Add TMPJNL, PRMJNL privileges.
V03-013 PCG0006
                           Peter George
                                                      10-Apr-1983
         Modify RECALL, ALLOCATE.
Create RUN.CLD.
V03-012 PCG0005
                           Peter George
                                                       28-Mar-1983
         Add DEFINE/KEY, RECALL.
         PCA1008 Paul C. Anagnostopoulos 25-Mar-1983 Make all necessary changes for new CDU.
V03-011 PCA1008
V03-010 WMC0010
         WMC0010 Wayne Cardoza
New RUN/CHECK qualifier
                                                       07-Mar-1983
         PCA1008 Paul C. Anagnostopoulos 4-Mar-1983
Put back the PREFIX clause for the RUN verb.
V03-009 PCA1008
V03-008 MLJ0008
                           Martin L. Jack
                                                       01-Mar-1983
         Changes for new QUEMAN image.
V03-007 PCA1008
                           Paul C. Anagnostopoulos 25-feb-1983
         Clean up various things.
V03-006 PCG0004
                                                       24-Feb-1983
                                    Peter George
         Specify NOSTAT for appropriate verbs.
V03-005 PCG0003
                                    Peter George
                                                      05-Jan-1983
         Add READ/MATCH
V03-004 PCG0002
                                    Peter George
                                                      15-Dec-1982
         Remove HELP
V03-003 PCG0001
                                    Peter George
                                                      20-Aug-1982
         Add CANCEL
V03-002 WMC0001
         WMCOOO1 Wayne Cardoza Add RUN/CHECKPOINT, RUN/RESTART
                                                      11-Aug-1982
V03-001 DWT0053
                                    David Thiel
                                                      15-Jul-1982
         Allow negated privileges
         Add commands previously defined in DATABASE.MAR
```

define syntax merge\_queue image queman

define type tran\_attr

placement=positional,
value(type=tran\_attr,list) qualifier queue, syntax=merge\_queue qualifier merge, syntax=merge queue define verb cancel

qualifier supervisor\_mode

qualifier executive\_mode

qualifier table, value (required) qualifier log

qualifier name\_attributes, value(Type=name\_attr,list) qualifier translation\_attributes,

DCLINT.CLD:1

define type name\_attr

define verb assign

keyword concealed keyword terminal

keyword confine keyword no\_alias

cliroutine assign

qualifier system qualifier group qualifier job qualifier process qualifier user\_mode

cliroutine cancel parameter p1,label=p1,prompt="File",value(type=\$process)
qualifier identification,value(required)

define verb close prefix clisk\_clos\_ cliroutine close parameter p1.prompt='Log name'.value(required.type=\$inlog)
qualifier end\_of\_file, value(required) ! /EOF and /ERROR must be
qualifier error, value(required) ! first for all file commands. qualifier log

define verb connect prefix clisk\_conn\_ cliroutine connect parameter p1,prompt='Terminal name',value(required,type=\$device) qualifier continue qualifier logout disallow (continue and logout)

define verb continue Synonym C cliroutine continue cliflags(abbreviate, nostatus) define syntax deallocate\_all\_devices

noparameters

```
DCLINT.CLD:1
define verb deallocate
          cliroutine deallocat
parameter p1.prompt='Device', value(required, type=$device)
qualifier all,syntax=deallocate_all_devices
define syntax deassign_all_names
          noparameters
define syntax deassign_queue
          image queman
define verb deassign
          cliroutine deassign
          parameter pi,prompt='Log name',value(required,type=$inlog)
          qualifier system
                                                                          Must be #1.
          qualifier group
qualifier job
qualifier process
qualifier user_mode
qualifier supervisor_mode
qualifier executive_mode
                                                                          Must be #2. Must be #3.
                                                                          Must be #4.
                                                                          Must be #5.
                                                                          Must be #6.
                                                                         Must be #7.
                                                                       ! Must be #8.
          qualifier table, value (required)
          qualifier all,syntax=deassign_all_names
                                                                       Must be #9.
          qualifier queue, syntax=deassign_queue
define verb debug
          cliroutine debug
define verb deck
          cliroutine deck
          cliflags(nostatus)
          qualifier dollars.
                                         value
define syntax define_characteristic
          image gueman
          parameter p1.prompt='Char name',value(required)
parameter p2.prompt='Char number',value(required)
define type form_margin
          keyword bottom,
                                         value(required)
          keyword left,
                                         value(required)
          keyword right.
                                         value(required)
          keyword top.
                                         value(required)
define syntax define_form
          image gueman
          parameter p1.prompt='Form name',value(required)
parameter p2.prompt='Form number',value(required)
          qualifier characteristic qualifier description, nonnegatable, value (required)
          qualifier length,
                                         nonnegatable.value(required)
                                         nonnegatable, value (required, list, type=form_margin)
          qualifier margin,
          qualifier page_setup,
                                         value(required, list)
          qualifier setup, qualifier sheet_feed
                                         value(required, list)
```

```
16-SEP-1984 16:35:08.00 Page 5
DCLINT.CLD:1
           qualifier stock,
                                            nonnegatable, value (required)
           qualifier truncate
           qualifier width.
                                            nonnegatable, value (required)
           qualifier wrap
define syntax define_key
prefix cli$k_defk_
cliroutine defkey
           parameter p1.prompt='Key name', value(required)
parameter p2.prompt='Equivalence name', value(required)
           qualifier echo
           qualifier terminate
qualifier lock_state
qualifier if_state,value(required, list)
qualifier set_state,value(required)
           qualifier log
           qualifier erase disallow (not lock_state and terminate and set_state)
           disallow (lock_state and not set_state)
define verb define
           cliroutine define
           prefix clisk_defi.
           parameter p1.prompt='log name',value(required.type=$outlog)
parameter p2.prompt='Equ name',value(required.type=$infile,list)
           qualifier system
                                                                                Must be #1.
           qualifier group
qualifier job
                                                                                Must be #2.
                                                                                Must be #3.
           qualifier process
                                                                                Must be #4.
           qualifier user_mode
                                                                                Must be #5.
           qualifier supervisor_mode
                                                                                Must be #6.
           qualifier executive_mode
                                                                                Must be #7.
           qualifier table, value (required)
                                                                                Must be #8.
           qualifier log
                                                                                Must be #9.
           qualifier name_attributes,
value(Type=name_attr,list)
qualifier translation_attributes,
                                                                              ! Must be #10.
                                                                             ! Must be #11.
                         placement=positional,
value(type=tran_attr,list)
           qualifier key, syntax=define key
           qualifier characteristic, syntax=define_characteristic
           qualifier form.syntax=define_form
  DEPOSIT uses the same qualifiers as EXAMINE, and they must appear in the
! same urder.
define verb deposit
           cliroutine deposit
           cliflags(immediate, nostatus) qualifier ascii, nonnegatable
           qualifier byte, nonnegatable qualifier decimal, nonnegatable qualifier hexadecimal, nonnegatable
           qualifier long, nonnegatable qualifier octal, nonnegatable
           qualifier word, nonnegatable
```

```
16-SEP-1984 16:35:08.00 Page 6
 DCLINT.CLD:1
 define verb disconnect
              cliroutine disconnect
              qualifier continue
 define verb dsm
             image dsm
              cliflags(foreign)
 define verb eod
              cliroutine eod
              cliflags(immediate,nostatus)
 define verb eoj
              cliroutine eoi
 define verb examine
             verb examine
cliroutine examine
prefix cli$k_exam_
cliflags(immediate,nostatus)
qualifier ascii,nonnegatable
qualifier byte,nonnegatable
qualifier decimal,nonnegatable
qualifier hexadecimal,nonnegatable
qualifier cotal,nonnegatable
qualifier word,nonnegatable
              qualifier word, nonnegatable
 define verb exit
             cliroutine exit
              cliflags(immediate)
define verb goto
cliroutine goto
cliflags(nostatus)
              parameter p1,prompt='Label'',value(required)
define verb if
              cliroutine if
              cliflags(immediate,nostatus)
define verb inquire
cliroutine inquire
prefix cli$k_inqu_
cliflags(immēdiatē)
qualifier glot
qualifier loca
qualifier pund
                                        global, nonnegatable
                                        local, nonnegatable
                                       punctuation
define verb logout
cliroutine logout
qualifier brief
qualifier full
              qualifier hangup
 define verb mcr
```

```
M 6
16-SEP-1984 16:35:08.00 Page 7
DCLINT.CLD:1
           cliroutine mcr
           cliflags(foreign)
define verb on
           cliroutine on
           cliflags(immediate)
define type share_options
           keyword read
           keyword write
define verb open
cliroutine open
           prefix clisk_open
          parameter p1.prompt='Log name', value(required, type=Soutlog)
parameter p2.prompt='File', value(required, type=Sinfile)
qualifier end_of_file, value(required) ! Make /EOF=1, /ERROR=2 for
           qualifier error,
                                            value(required) ! all file commands
           qualifier read
qualifier write
           qualifier share,
                                           value(type=share_options)
           qualifier append disallow (write and append)
define type match_keys
           keyword ea
           keyword ge
           keyword gt
define verb read
           cliroutine read
           prefix clisk_read_
           parameter p1.prompt='Log name'.value(required.type=$inlog)
parameter p2.prompt='Symbol'.value(required.type=$outfile)
           ! Soutfile on p2 needed to preserve double quotes qualifier end of file, value(required) ! Make /EOF=1, /ERROR=2 for qualifier error, value(required) ! all file commands
                                            value(required, list)
           qualifier key,
           qualifier index.
                                            value(required)
           qualifier delete qualifier lock,
                                            default
           qualifier prompt,
                                            value(required)
           qualifier match.
                                            value(required,type=match_keys)
           qualifier time_out
                                            value(required, type=$number)
define syntax recall_all_commands
           cliroutine recall
           noparameters
define verb recall
           cliroutine recall
           parameter p1, value(type=$rest_of_line)
qualifier all,syntax=recall_all_commands
define syntax stop_cpu
           image mp
```

```
16-SEP-1984 16:35:08.00 Page 8
DCLINT.CLD:1
            noparameters
define syntax stop_queue
            image queman
            parameter p1.prompt='Queue', value(required)
define syntax stop_queue_manager
            image queman
           noparameters
define syntax write_symbol_out
    parameter pl,prompt='Log name',value(required,type=$inlog)
    parameter p2,prompt='Symbol',value(required,list,type=$quoted_string)
define verb stop
           cliroutine stop
            cliflags(nostatus)
           parameter pl.prompt="Process", value(type=$process)
            qualifier manager,
                                             nonnegatable,syntax=stop_queue_manager
            qualifier abort,
                                             nonnegatable,syntax=stop_queue
           qualifier next, nonnegatable, syntax=stop queuqualifier identification, nonnegatable, value (required)
                                             nonnegatable, syntax=stop_queue
           qualifier requeue,
qualifier entry,
qualifier priority,
qualifier cpu,
qualifier queue,
qualifier hold,
                                             nonnegatable, value, syntax=stop_queue
                                             nonnegatable, value (required), syntax=stop_queue
                                             nonnegatable, value (required), syntax=stop_queue
                                             nonnegatable,syntax=stop_cpu
                                             nonnegatable, syntax=stop_queue
                                             syntax=stop_queue
            qualifier reset,
                                             nonnegatable, syntax=stop_queue
define verb wait
           cliroutine wait
           cliflags(immediate,nostatus)
define verb write
           cliroutine write
prefix cli$k_writ_
parameter p1,prompt='Log name',value(required,type=$inlog)
parameter p2,prompt='Expression',value(required,list,type=$expression)
qualifier end of file, value(required) ! Make /EOF=1, /ERROR=2 for
value(required) ! all file commands
            qualifier error,
            qualifier update
            qualifier symbols,
                                             nonnegatable,syntax=write_symbol_out
```

0046 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

